

- 1 Ng SW, Ni Mhurchu C, Jebb SA, Popkin BM. Patterns and trends of beverage consumption among children and adults in Great Britain, 1986–2009. *Br J Nutr* 2012; **108**: 536–51.
- 2 Sanigorski AM, Bell AC, Swinburn BA. Association of key foods and beverages with obesity in Australian schoolchildren. *Public Health Nutr* 2007; **10**: 152–57.
- 3 Bray GA, Popkin BM. Dietary sugar and body weight: have we reached a crisis in the epidemic of obesity and diabetes? Health be damned! Pour on the sugar. *Diabetes Care* 2014; **37**: 950–56.
- 4 Hu FB. Resolved: there is sufficient scientific evidence that decreasing sugar-sweetened beverage consumption will reduce the prevalence of obesity and obesity-related diseases. *Obes Rev* 2013; **14**: 606–19.
- 5 The Lancet Diabetes & Endocrinology. Sugar intake: lowering the bar. *Lancet Diabetes Endocrinol* 2015; **3**: 305.
- 6 Bliss M. Rewriting medical history: Charles Best and the Banting and Best myth. *J Hist Med Allied Sci* 1993; **48**: 253–74.
- 7 Yudkin J. Dietary fat and dietary sugar in relation to ischemic heart-disease and diabetes. *Lancet* 1964; **2**: 4–5.
- 8 Yudkin J. Sweet and dangerous: the new facts about the sugar you eat as a cause of heart disease, diabetes, and other killers. New York: P H Wyden, 1972.
- 9 Mattes RD. Dietary compensation by humans for supplemental energy provided as ethanol or carbohydrate in fluids. *Physiol Behav* 1996; **59**: 179–87.
- 10 DiMeglio DP, Mattes RD. Liquid versus solid carbohydrate: effects on food intake and body weight. *Int J Obes Relat Metab Disord* 2000; **24**: 794–800.
- 11 Mourao DM, Bressan J, Campbell WW, Mattes RD. Effects of food form on appetite and energy intake in lean and obese young adults. *Int J Obes (Lond)* 2007; **31**: 1688–95.
- 12 DellaValle DM, Roe LS, Rolls BJ. Does the consumption of caloric and non-caloric beverages with a meal affect energy intake? *Appetite* 2005; **44**: 187–93.
- 13 Lennerz BS, Alsop DC, Holsen LM, et al. Effects of dietary glycemic index on brain regions related to reward and craving in men. *Am J Clin Nutr* 2013; **98**: 641–47.
- 14 Mattes RD, Popkin BM. Nonnutritive sweetener consumption in humans: effects on appetite and food intake and their putative mechanisms. *Am J Clin Nutr* 2009; **89**: 1–14.
- 15 Te Morenga L, Mallard S, Mann J. Dietary sugars and body weight: systematic review and meta-analyses of randomised controlled trials and cohort studies. *BMJ* 2013; **346**: e7492.
- 16 Te Morenga LA, Howatson AJ, Jones RM, Mann J. Dietary sugars and cardiometabolic risk: systematic review and meta-analyses of randomized controlled trials of the effects on blood pressure and lipids. *Am J Clin Nutr* 2014; **100**: 65–79.
- 17 Anand SS, Hawkes C, de Souza RJ, et al. Global food consumption and its impact on cardiovascular disease: importance of solutions focused on the globalized food system: a report from the workshop convened by the World Heart Federation. *J Am Coll Cardiol* 2015; **66**: 1590–614.
- 18 Vartanian LR, Schwartz MB, Brownell KD. Effects of soft drink consumption on nutrition and health: a systematic review and meta-analysis. *Am J Public Health* 2007; **97**: 667–75.
- 19 Singh GM, Micha R, Khatibzadeh S, et al. Estimated global, regional, and national disease burdens related to sugar-sweetened beverage consumption in 2010. *Circulation* 2015; **132**: 639–66.
- 20 Malik VS, Popkin BM, Bray GA, Despres JP, Willett WC, Hu FB. Sugar-sweetened beverages and risk of metabolic syndrome and type 2 diabetes: a meta-analysis. *Diabetes Care* 2010; **33**: 2477–83.
- 21 Imamura F, O'Connor L, Ye Z, et al. Consumption of sugar sweetened beverages, artificially sweetened beverages, and fruit juice and incidence of type 2 diabetes: systematic review, meta-analysis, and estimation of population attributable fraction. *BMJ* 2015; **351**: h3576.
- 22 Lesser LI, Ebbeling CB, Goozner M, Wypij D, Ludwig DS. Relationship between funding source and conclusion among nutrition-related scientific articles. *PLoS Med* 2007; **4**: e5.
- 23 Bes-Rastrollo M, Schulze MB, Ruiz-Canela M, Martinez-Gonzalez MA. Financial conflicts of interest and reporting bias regarding the association between sugar-sweetened beverages and weight gain: a systematic review of systematic reviews. *PLoS Med* 2013; **10**: e1001578.
- 24 Ebbeling CB, Feldman HA, Chomitz VR, et al. A randomized trial of sugar-sweetened beverages and adolescent body weight. *N Engl J Med* 2012; **367**: 1407–16.
- 25 de Ruyter JC, Olthof MR, Seidell JC, Katan MB. A trial of sugar-free or sugar-sweetened beverages and body weight in children. *N Engl J Med* 2012; **367**: 1397–406.
- 26 WCRF. Curbing global sugar consumption: effective food policy actions to help promote healthy diets and tackle obesity. London: World Cancer Research Fund International, 2015. <http://www.wcrf.org/int/policy/our-policy-work/curbing-global-sugar-consumption> (accessed July 11, 2015).
- 27 WHO. Guideline: sugars intake for adults and children. Geneva: World Health Organization, 2015.
- 28 Johnson RK, Appel LJ, Brands M, et al, on behalf of the American Heart Association Nutrition Committee of the Council on Nutrition, Physical Activity, and Metabolism and the Council on Epidemiology and Prevention. Dietary sugars intake and cardiovascular health: a scientific statement from the American Heart Association. *Circulation* 2009; **120**: 1011–20.
- 29 McKiernan F, Hollis JH, Mattes RD. Short-term dietary compensation in free-living adults. *Physiol Behav* 2008; **93**: 975–83.
- 30 Flood-Obbagy JE, Rolls BJ. The effect of fruit in different forms on energy intake and satiety at a meal. *Appetite* 2009; **52**: 416–22.
- 31 Menke A, Casagrande S, Geiss L, Cowie CC. Prevalence of and trends in diabetes among adults in the United States, 1988–2012. *JAMA* 2015; **314**: 1021–29.
- 32 Mursu J, Virtanen JK, Tuomainen T-P, Nurmi T, Voutilainen S. Intake of fruit, berries, and vegetables and risk of type 2 diabetes in Finnish men: the Kuopio Ischaemic Heart Disease Risk Factor Study. *Am J Clin Nutr* 2014; **99**: 328–33.
- 33 Odegaard AO, Koh W-P, Arakawa K, Yu MC, Pereira MA. Soft drink and juice consumption and risk of physician-diagnosed incident type 2 diabetes: the Singapore Chinese Health Study. *Am J Epidemiol* 2010; **171**: 701–08.
- 34 Muraki I, Imamura F, Manson JE, et al. Fruit consumption and risk of type 2 diabetes: results from three prospective longitudinal cohort studies. *BMJ* 2013; **347**: f5001.
- 35 Bazzano LA, Li TY, Joshipura KJ, Hu FB. Intake of fruit, vegetables, and fruit juices and risk of diabetes in women. *Diabetes Care* 2008; **31**: 1311–17.
- 36 Xi B, Li S, Liu Z, et al. Intake of fruit juice and incidence of type 2 diabetes: a systematic review and meta-analysis. *PLoS One* 2014; **9**: e93471.
- 37 Piernas C, Tate DF, Wang X, Popkin BM. Does diet-beverage intake affect dietary consumption patterns? Results from the Choose Healthy Options Consciously Everyday (CHOICE) randomized clinical trial. *Am J Clin Nutr* 2013; **97**: 604–11.
- 38 Dhingra R, Sullivan L, Jacques PF, et al. Soft drink consumption and risk of developing cardiometabolic risk factors and the metabolic syndrome in middle-aged adults in the community. *Circulation* 2007; **116**: 480–88.
- 39 Lutsey PL, Steffen LM, Stevens J. Dietary intake and the development of the metabolic syndrome: the Atherosclerosis Risk in Communities study. *Circulation* 2008; **117**: 754–61.
- 40 de Koning L, Malik VS, Rimm EB, Willett WC, Hu FB. Sugar-sweetened and artificially sweetened beverage consumption and risk of type 2 diabetes in men. *Am J Clin Nutr* 2011; **93**: 1321–27.
- 41 Duffey KJ, Steffen LM, Van Horn L, Jacobs DR Jr, Popkin BM. Dietary patterns matter: diet beverages and cardiometabolic risks in the longitudinal Coronary Artery Risk Development in Young Adults (CARDIA) Study. *Am J Clin Nutr* 2012; **95**: 909–15.
- 42 de Koning L, Malik VS, Kellogg MD, Rimm EB, Willett WC, Hu FB. Sweetened beverage consumption, incident coronary heart disease, and biomarkers of risk in men. *Circulation* 2012; **125**: 1735–41, S1.
- 43 Tate DF, Turner-McGrievy G, Lyons E, et al. Replacing caloric beverages with water or diet beverages for weight loss in adults: main results of the Choose Healthy Options Consciously Everyday (CHOICE) randomized clinical trial. *Am J Clin Nutr* 2012; **95**: 555–63.
- 44 Raben A, Vasilaras TH, Møller AC, Astrup A. Sucrose compared with artificial sweeteners: different effects on ad libitum food intake and body weight after 10 wk of supplementation in overweight subjects. *Am J Clin Nutr* 2002; **76**: 721–29.
- 45 Goran MI, Tappy L, Le K-A, Ulijaszek S. Dietary sugars and health. Oxford: Taylor and Francis, 2014.
- 46 Walker RW, Dumke KA, Goran MI. Fructose content in popular beverages made with and without high-fructose corn syrup. *Nutrition* 2014; **30**: 928–35.

- 47 Ludwig DS. Examining the health effects of fructose. *JAMA* 2013; **310**: 33–34.
- 48 Wolf A, Bray GA, Popkin BM. A short history of beverages and how our body treats them. *Obes Rev* 2008; **9**: 151–64.
- 49 Bray GA, Nielsen SJ, Popkin BM. Consumption of high-fructose corn syrup in beverages may play a role in the epidemic of obesity. *Am J Clin Nutr* 2004; **79**: 537–43.
- 50 Maersk M, Belza A, Stødkilde-Jørgensen H, et al. Sucrose-sweetened beverages increase fat storage in the liver, muscle, and visceral fat depot: a 6-mo randomized intervention study. *Am J Clin Nutr* 2012; **95**: 283–89.
- 51 Stanhope KL, Havel PJ. Fructose consumption: recent results and their potential implications. *Ann NY Acad Sci* 2010; **1190**: 15–24.
- 52 Stanhope KL, Bremer AA, Medici V, et al. Consumption of fructose and high fructose corn syrup increase postprandial triglycerides, LDL-cholesterol, and apolipoprotein-B in young men and women. *J Clin Endocrinol Metab* 2011; **96**: E1596–605.
- 53 Stanhope KL. Role of fructose-containing sugars in the epidemics of obesity and metabolic syndrome. *Annu Rev Med* 2012; **63**: 329–43.
- 54 Johnson R, Moorthy SN, Padmaja G. Production of high fructose syrup from cassava and sweet potato flours and their blends with cereal flours. *Food Sci Technol Int* 2010; **16**: 251–58.
- 55 Johnson RJ, Andrews P. Fructose, uricase, and the Back-to-Africa hypothesis. *Evol Anthropol Issues News Rev (Melb)* 2010; **19**: 250–57.
- 56 Johnson RJ, Murray R. Fructose, exercise, and health. *Curr Sports Med Rep* 2010; **9**: 253–58.
- 57 Johnson RJ, Nakagawa T, Sanchez-Lozada LG, et al. Sugar, uric acid, and the etiology of diabetes and obesity. *Diabetes* 2013; **62**: 3307–15.
- 58 Johnson RJ, Sanchez-Lozada LG, Nakagawa T. The effect of fructose on renal biology and disease. *J Am Soc Nephrol* 2010; **21**: 2036–39.
- 59 Johnson RJ, Segal MS, Sautin Y, et al. Potential role of sugar (fructose) in the epidemic of hypertension, obesity and the metabolic syndrome, diabetes, kidney disease, and cardiovascular disease. *Am J Clin Nutr* 2007; **86**: 899–906.
- 60 Dekker MJ, Su Q, Baker C, Rutledge AC, Adeli K. Fructose: a highly lipogenic nutrient implicated in insulin resistance, hepatic steatosis, and the metabolic syndrome. *Am J Physiol Endocrinol Metab* 2010; **299**: E685–94.
- 61 Lustig RH. Fructose: it's "alcohol without the buzz". *Adv Nutr* 2013; **4**: 226–35.
- 62 Lustig RH, Schmidt LA, Brindis CD. Public health: the toxic truth about sugar. *Nature* 2012; **482**: 27–29.
- 63 Mueller NT, Odegaard A, Anderson K, et al. Soft drink and juice consumption and risk of pancreatic cancer: the Singapore Chinese Health Study. *Cancer Epidemiol Biomarkers Prev* 2010; **19**: 447–55.
- 64 Sakurai M, Nakamura K, Miura K, et al. Sugar-sweetened beverage and diet soda consumption and the 7-year risk for type 2 diabetes mellitus in middle-aged Japanese men. *Eur J Nutr* 2014; **53**: 251–58.
- 65 Hernández-Cordero S, Barquera S, Rodríguez-Ramírez S, et al. Substituting water for sugar-sweetened beverages reduces circulating triglycerides and the prevalence of metabolic syndrome in obese but not in overweight Mexican women in a randomized controlled trial. *J Nutr* 2014; **144**: 1742–52.
- 66 Davis JN, Whaley SE, Goran MI. Effects of breastfeeding and low sugar-sweetened beverage intake on obesity prevalence in Hispanic toddlers. *Am J Clin Nutr* 2012; **95**: 3–8.
- 67 Davis JN, Ventura EE, Weigensberg MJ, et al. The relation of sugar intake to beta cell function in overweight Latino children. *Am J Clin Nutr* 2005; **82**: 1004–10.
- 68 Davis JN, Alexander KE, Ventura EE, et al. Associations of dietary sugar and glycemic index with adiposity and insulin dynamics in overweight Latino youth. *Am J Clin Nutr* 2007; **86**: 1331–38.
- 69 Schwimmer JB, Deutsch R, Kahen T, Lavine JE, Stanley C, Behling C. Prevalence of fatty liver in children and adolescents. *Pediatrics* 2006; **118**: 1388–93.
- 70 Zhou Y, Du S, Su C, Zhang B, Wang H, Popkin BM. The food retail revolution in China and its association with diet and health. *Food Policy* 2015; **55**: 92–100.
- 71 Popkin BM. Nutrition, agriculture and the global food system in low and middle income countries. *Food Policy* 2014; **47**: 91–96.
- 72 Reardon T, Timmer CP, Barrett CB, Berdegue JA. The rise of supermarkets in Africa, Asia, and Latin America. *Am J Agric Econ* 2003; **85**: 1140–46.
- 73 Reardon T, Timmer CP, Minten B. Supermarket revolution in Asia and emerging development strategies to include small farmers. *Proc Natl Acad Sci USA* 2012; **109**: 12332–37.
- 74 Reardon T, Chen KZ, Minten B, et al. The quiet revolution in Asia's rice value chains. *Ann NY Acad Sci* 2014; **1331**: 106–18.
- 75 Ng SW, Slining MM, Popkin BM. Use of caloric and noncaloric sweeteners in US consumer packaged foods, 2005–2009. *J Acad Nutr Diet* 2012; **112**: 1828–34.
- 76 Ng SW, Slining MM, Popkin BM. Turning point for US diets? Recessionary effects or behavioral shifts in foods purchased and consumed. *Am J Clin Nutr* 2014; **99**: 609–16.
- 77 Arantxa Colchero M, Popkin BM, Rivera JA, Ng SW. Beverage purchases from stores since the start of the Mexican sugar-sweetened beverage excise tax: a year out. *BMJ* (in press).
- 78 Euromonitor. Euromonitor International. 2014. <http://www.euromonitor.com/> (accessed March 30, 2015).
- 79 Euromonitor International. Passport Nutrition. 2015. <http://www.euromonitor.com/> (accessed April 5, 2015).
- 80 Basu S, Yoffe P, Hills N, Lustig RH. The relationship of sugar to population-level diabetes prevalence: an econometric analysis of repeated cross-sectional data. *PLoS One* 2013; **8**: e57873.
- 81 Corvalán C, Reyes M, Garmendia ML, Uauy R. Structural responses to the obesity and non-communicable diseases epidemic: the Chilean Law of Food Labeling and Advertising. *Obes Rev* 2013; **14** (suppl 2): 79–87.
- 82 Kleiman S, Ng SW, Popkin B. Drinking to our health: can beverage companies cut calories while maintaining profits? *Obes Rev* 2012; **13**: 258–74.
- 83 Thow AM, Hawkes C. Global sugar guidelines: an opportunity to strengthen nutrition policy. *Public Health Nutr* 2014; **17**: 2151–55.
- 84 Hawkes C, Jewell J, Allen K. A food policy package for healthy diets and the prevention of obesity and diet-related non-communicable diseases: the NOURISHING framework. *Obes Rev* 2013; **14** (suppl 2): 159–68.
- 85 WCRF International. NOURISHING framework. London: World Cancer Research Fund, 2015. <http://www.wcrf.org/int/policy/nourishing-framework> (accessed July 10, 2015).
- 86 Brownell KD, Farley T, Willett WC, et al. The public health and economic benefits of taxing sugar-sweetened beverages. *N Engl J Med* 2009; **361**: 1599–605.
- 87 Snowden W, Thow AM. Trade policy and obesity prevention: challenges and innovation in the Pacific Islands. *Obes Rev* 2013; **14** (suppl 2): 150–58.
- 88 Bíró A. Did the junk food tax make the Hungarians eat healthier? *Food Policy* 2015; **54**: 107–15.
- 89 WHO Regional Office for Europe (Nutrition Physical Activity and Obesity Programme). Using price policies to promote healthier diets. Brussels: WHO European Regional Office, 2015. http://www.euro.who.int/__data/assets/pdf_file/0008/273662/Using-price-policies-to-promote-healthier-diets.pdf?ua=1 (accessed Oct 28, 2015).
- 90 Richards TJ, Patterson PM, Tegen A. Obesity and nutrient consumption: a rational addiction? *Contemp Econ Policy* 2007; **25**: 309–24.
- 91 Zhen C, Wohlgenant MK, Karns S, Kaufman P. Habit formation and demand for sugar-sweetened beverages. *Am J Agric Econ* 2011; **93**: 175–93.
- 92 Becker GS, Murphy KM. A theory of rational addiction. *J Polit Econ* 1988; **96**: 675–700.
- 93 Grossman M, Chaloupka FJ. The demand for cocaine by young adults: a rational addiction approach. *J Health Econ* 1998; **17**: 427–74.
- 94 Hawkes C. The worldwide battle against soft drinks in schools. *Am J Prev Med* 2010; **38**: 457–61.
- 95 Chriqui JF, Pickel M, Story M. Influence of school competitive food and beverage policies on obesity, consumption, and availability: a systematic review. *JAMA Pediatr* 2014; **168**: 279–86.
- 96 Taber DR, Chriqui JF, Vuillaume R, Chaloupka FJ. How state taxes and policies targeting soda consumption modify the association between school vending machines and student dietary behaviors: a cross-sectional analysis. *PLoS One* 2014; **9**: e98249.
- 97 Cullen KW, Watson K, Zakeri I. Improvements in middle school student dietary intake after implementation of the Texas Public School Nutrition Policy. *Am J Public Health* 2008; **98**: 111–17.
- 98 ChangeLab Solutions. Sugar-sweetened beverages playbook. ChangeLab Solutions, 2013. <http://changelabsolutions.org/publications/SSB-playbook> (accessed July 12, 2015).
- 99 Republica of Chile. Modifica Decreto Supremo No 977, DE 1996, Reglamento Sanitario de los Alimentos (Regulation for food safety). 918813 (no 41193). Santiago: Republic of Chile printing office, 2015: 1–12 (in Spanish).

- 100 WHO. Set of recommendations on the marketing of foods and non-alcoholic beverages to children. Geneva: World Health Organization, 2010. http://apps.who.int/iris/bitstream/10665/44416/1/9789241500210_eng.pdf (accessed Nov 20, 2015).
- 101 LiveLighter. About sugary drinks. LiveLighter, 2015. <https://livelighter.com.au/The-Facts/About-Sugary-Drinks> (accessed July 11, 2015).
- 102 Change for Life. Let's make some sugar swaps! 2015. <http://www.nhs.uk/Change4Life/Pages/low-sugar-healthy-snacks.aspx> (accessed July 11, 2015).
- 103 Mozaffarian D, Afshin A, Benowitz NL, et al, on behalf of the American Heart Association Council on Epidemiology and Prevention, Council on Nutrition, Physical Activity and Metabolism, Council on Clinical Cardiology, Council on Cardiovascular Disease in the Young, Council on the Kidney in Cardiovascular Disease, Council on Peripheral Vascular Disease, and the Advocacy Coordinating Committee. Population approaches to improve diet, physical activity, and smoking habits: a scientific statement from the American Heart Association. *Circulation* 2012; **126**: 1514–63.
- 104 Roodenburg AJ, Popkin BM, Seidell JC. Development of international criteria for a front of package food labelling system: the International Choices Programme. *Eur J Clin Nutr* 2011; **65**: 1190–200.
- 105 Hawkes C, Smith TG, Jewell J, et al. Smart food policies for obesity prevention. *Lancet* 2015; **385**: 2410–21.
- 106 Emrich TE, Qi Y, Mendoza JE, Lou W, Cohen JE, L'abbé MR. Consumer perceptions of the Nutrition Facts table and front-of-pack nutrition rating systems. *Appl Physiol Nutr Metab* 2014; **39**: 417–24.
- 107 Roberto CA, Bragg MA, Seamans MJ, Mechulan RL, Novak N, Brownell KD. Evaluation of consumer understanding of different front-of-package nutrition labels, 2010–2011. *Prev Chronic Dis* 2012; **9**: E149.
- 108 Bleich SN, Barry CL, Gary-Webb TL, Herring BJ. Reducing sugar-sweetened beverage consumption by providing caloric information: how Black adolescents alter their purchases and whether the effects persist. *Am J Public Health* 2014; **104**: 2417–24.
- 109 Vyth EL, Steenhuis IH, Roodenburg AJ, Brug J, Seidell JC. Front-of-pack nutrition label stimulates healthier product development: a quantitative analysis. *Int J Behav Nutr Phys Act* 2010; **7**: 65.
- 110 Piernas C, Ng SW, Popkin B. Trends in purchases and intake of foods and beverages containing caloric and low-calorie sweeteners over the last decade in the United States. *Pediatric Obes* 2013; **8**: 294–306.
- 111 Webster J, Trieu K, Dunford E, Hawkes C. Target salt 2025: a global overview of national programs to encourage the food industry to reduce salt in foods. *Nutrients* 2014; **6**: 3274–87.
- 112 New York City Department of Health and Mental Hygiene. Maximum Size For Sugary Drinks: Proposed Amendment of Article 81. New York City, NY: Department of Health and Mental Hygiene, 2012: 16.
- 113 ECSIP Consortium. Food taxes and their impact on competitiveness in the agri-food sector. Rotterdam: European Competitiveness and Sustainable Industrial Policy Consortium, 2014. <http://ec.europa.eu/DocsRoom/documents/5827/attachments/1/translations/en/renditions/pdf> (accessed Oct 28, 2015).
- 114 Popkin BM, Armstrong LE, Bray GM, Caballero B, Frei B, Willett WC. A new proposed guidance system for beverage consumption in the United States. *Am J Clin Nutr* 2006; **83**: 529–42.
- 115 Popkin BM, D'Anci KE, Rosenberg IH. Water, hydration, and health. *Nutr Rev* 2010; **68**: 439–58.
- 116 Daniels MC, Popkin BM. Impact of water intake on energy intake and weight status: a systematic review. *Nutr Rev* 2010; **68**: 505–21.
- 117 Stern D, Piernas C, Barquera S, Rivera JA, Popkin BM. Caloric beverages were major sources of energy among children and adults in Mexico, 1999–2012. *J Nutr* 2014; **144**: 949–56.
- 118 Queensland Department of Education and the Arts, Queensland Health. Smart Choices: healthy food and drink supply strategy for Queensland schools. 2004. <http://education.qld.gov.au/schools/healthy/docs/smart-choices-strategy.pdf> (accessed July 11, 2015).
- 119 Barquera S, Tolentino M, Safdie M, Levesque L. National guidelines for healthy nutrition in Mexican schools: an independent preliminary evaluation. *Obes Rev* 2014; **15** (suppl 2): 258 (abstr).